

We use cookies to provide you with the best possible experience in your interactions with Canon and on our website – find out more about our use of Cookies and change your cookie settings [here](#). You agree to our use of cookies on your device by continuing to use our website or by clicking [I Accept](#).



## Canon PIXMA MG3650S Specifications

Page by category



# Specifications



Use and share wirelessly



PIXMA XL Inks

Optional high-yield XL inks



High-quality borderless photo printing



**Borderless Photo  
Printing**

---



**Smartphone and  
Tablet print/scan**

Canon PRINT app

---



**PIXMA Cloud Link**

PIXMA Cloud Link\*

---



**FINE Cartridge**

FINE cartridge

---



**Auto 2-sided Print**

Automatic 2-sided printing

---



Front paper feed

---

# Specifications in detail

## General Specifications

---

### Functions

Wireless, Print, Copy, Scan, Cloud Link

---

## Printer Specifications

---

### Print Resolution

Up to 4800 <sup>1</sup> x 1200 dpi

---

### Print Technology

2 FINE Cartridges (Black and Colour)

Inkjet system with 2pl (min.) ink droplet size

ChromaLife100 inks

---

### Mono Print Speed

Approx. 9.9 ipm <sup>2</sup>

---

### Colour Print Speed

Approx. 5.7 ipm [2]

---

**Photo Print Speed**

Borderless 10x15cm : Approx. 44 seconds <sup>3</sup>

---

**Borderless Printing**

Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm)

---

**Two Sided Printing**

Auto Duplex Print (A4, A5, B5, Letter)

---

## Cartridges And Yields

---

**Standard Ink Cartridges**

PG-540 (Black)

CL-541 (Colour)

---

**Optional XL Ink Cartridges**

PG-540XL (Black)

CL-541XL (Colour)

---

**Cartridge Yield (Plain paper)**

A4 colour documents printing <sup>4</sup>

Black: 180 pages

Black XL: 600 pages

Colour: 180 pages

Colour XL: 400 pages

---

## Cartridge Yield (Photo print)

10x15cm colour photo printing <sup>5</sup>

Black: 2465\* photos

Black XL: 7560\* photos

Colour: 69 photos

Colour XL: 150 photos

\* Estimated supplemental yield

---

## Paper Support

---

### Paper Types

Plain Paper

High Resolution Paper (HR-101N)

Photo Paper Pro Platinum (PT-101)

Photo Paper Plus Glossy II (PP-201)

Photo Paper Pro Luster (LU-101)

Photo Paper Plus Semi-gloss (SG-201)

Glossy Photo Paper ""Everyday Use"" (GP-501)

Matte Photo Paper (MP-101)

T-Shirt Transfer

Envelope

---

### Maximum Paper Input

Front tray: Max. 100 sheets (plain paper)

---

### Paper Sizes

A4, A5, B5, 10x15cm, 13x18cm, 20x25cm, Envelopes (DL, COM10), Letter, Legal

---

### Paper Weight

Plain paper: 64 - 105 g/m<sup>2</sup>

Canon photo paper: up to 300 g/m<sup>2</sup>

---

## Scanner Specifications

---

### Scanner Type

CIS flatbed photo and document scanner

---

### Scanner Resolution (Optical)

1200 x 2400 dpi <sup>6</sup>

---

### A4 Scan Speed

Approx. approx. 14sec <sup>7</sup>

---

### Scanning Depth (Input / Output)

Colour: 48 bit / 24 bit

Greyscale: 16 bit / 8 bit

---

### Maximum Document Size

216 x 297 mm

---

# Copier Specifications

---

## Copy Speed

sFCOT: Approx. 22sec <sup>8</sup>

sESAT: Approx. 2.7ipm [8]

---

## Multiple Copy

21 copies (max.)

---

## Copy Functions

Document copying (plain paper), Borderless Copy

---

## Copy Zoom

Fit to page

---

# Interface

---

## Interface Type - PC / Mac

Hi-Speed USB (B Port)

Wi-Fi: IEEE802.11 b/g/n

Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password

---

## Interface Type - Other

PIXMA Cloud Link

Canon PRINT Inkjet/SELPHY app

Canon Print Service Plugin (Android)

Google Cloud Print

Access point mode

WLAN PictBridge

Apple AirPrint

Mopria (Android)

---

## Software

---

### Supported Mobile Systems

iOS

Android

---

### Minimum System Requirements

Windows: 3.1GB disk space, Internet Explorer 8

Mac: Internet connection, 1.5GB disk space, Safari 5

Display: 1024 x 768 XGA

---

### Software Included

MP Driver including Scanning Utility

My Image Garden with Full HD Movie Print <sup>9</sup>

Quick Menu

Easy-WebPrint EX (download) <sup>10</sup>

---

## Physical Features

---

### Weight

approx. 5.4 kg

---

### Dimensions (W x D x H)

approx. 449 x 304 x 152 mm

---

### Acoustic Noise Levels

approx. 43.5dB(A) <sup>11</sup>

---

### Operating Temperature

5-35°C

---

### Operating Humidity

10-90%RH (no dew condensation)

---

### Power Source

AC 100-240V, 50/60Hz

---

### Power Consumption

Off: Approx. 0.1 W

Standby (connected to PC via USB): Approx. 1.4 W (scanning lamp off)

Standby (all ports connected): Approx. 1.4 W (scanning lamp is off)

Time to enter Standby mode: 7 minutes

Copying: Approx. 16 W <sup>12</sup>

---

#### Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

1. Ink droplets can be placed with a minimum pitch of 1/4800 inch
2. A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
3. Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
4. Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
5. Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
6. Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the maximum scan size is restricted.
7. Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.
8. Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- 9.

Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later).

10. Easy-WebPrint EX requires Internet Explorer 8 or later
11. When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
12. When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

---

Copyright 2018. All Rights Reserved.