

USB 3.0 Dual-Monitor Docking Station - HDMI and DVI / VGA

Product ID: DK30ADD



This USB 3.0 dual-monitor docking station lets you add the ports you need to your laptop, to maximize your workstation performance. The laptop dock provides a cost-effective universal docking solution, with support for HDMI® and DVI monitors and plenty of connection options for peripherals.

Enhance productivity with a dual-video workstation

The versatile laptop docking station enables you to improve your efficiency and productivity by expanding the display capabilities of your Windows laptop or MacBook. Set up dual displays by connecting to one HDMI and one DVI monitor. Plus, the dock includes a DVI to VGA adapter, so you can connect your legacy VGA monitor in place of a DVI monitor.

With the dual-monitor dock, you can connect:

- 1x HDMI display + 1x DVI display at 2048 x 1152 resolution @ 60Hz
- 1x HDMI display at 2048 x 1152 resolution + 1x VGA display at 1920 x 1200 resolution @ 60Hz

The USB 3.0 docking station offers a fast and easy way to maximize your laptop's workable screen space, giving you three screens in total when coupled with your laptop's display.

All the connections you need

This USB docking station lets you easily connect your keyboard, external drives and other peripherals, to transform your laptop into a powerful, fully capable workstation. The dock features a USB Type-B dock connection (host) for more robust port stability, unlike the Micro-B ports that are often used on other docking stations. From the single USB 3.0 host connection, the dock provides six USB 3.0 (Type-A) ports, a Gigabit Ethernet port, plus a 3.5 mm audio headphone port. Two of the USB 3.0 ports are always-on fast-charging ports, adding charge-and-sync flexibility for up to two mobile devices.

Perfect desktop companion

The compact, horizontal design of the laptop docking station makes it easy to position on your desk, alongside your other devices and peripherals. It's an attractive addition to any workspace, with a sleek silver and black finish that matches most laptops.

The DK30ADD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Provides essential connectivity and dual-monitor capability for professional office environments in businesses, organizations and institutions
- Ideal for shared workspaces in hotels, or for short-term hot desk applications
- Add dual video outputs to a laptop or small form factor computer, where the video card cannot be replaced
- Connect a wide variety of peripherals at home/office to a laptop all from a single USB connection

Features

- Connect dual displays using either HDMI + DVI, or HDMI + VGA combinations, or a single monitor
- DisplayLink certified chipset, with dual-video support for Mac and Windows laptops
- Six USB 3.0 ports (USB Type-A), including two always-on, fast-charging ports
- Gigabit Ethernet port supporting Wake-on-LAN
- DVI to VGA adapter included, enabling you to connect to a legacy VGA display
- Convenient front 3.5 mm audio headphone port
- Firm port stability with a USB Type-B host port, unlike some docking stations that use a more fragile Micro-USB port

Hardware	Warranty	3 Years	
	4K Support	No	
	Bus Type	USB 3.0	
	Chipset ID	DisplayLink - DL-3900 VIA/VLI - VL813	
	Displays Supported	2	
	Fast-Charge Port(s)	Yes	
	Industry Standards	USB Battery Charging Specification Rev. 1.2 IEEE 802.3, IEEE 802.3u, IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0/1.1	
	Interface	USB 3.0	
Performance	Auto MDIX	Yes	
	Compatible Networks	10/100/1000 Mbps	
	Full Duplex Support	Yes	
	Maximum Data Transfer Rate	5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex)	
	Maximum Digital Resolutions	Dual displays - HDMI + DVI - 2048 x 1152 @ 60Hz Dual displays - HDMI 2048 x 1152 + VGA 1920 x 1200 @ 60Hz	
	Type and Rate	USB 3.0 - 5 Gbit/s	
	UASP Support	Yes	
Connector(s)	Connector Type(s)	1 - DVI-I (29 pin) Female 1 - 19 pin HDMI Female Female 2 - USB 3.0 A (Fast-Charge, 9 pin, SuperSpeed) Female 4 - USB Type-A (9 pin) USB 3.0 Female 1 - Ethernet Gigabit Female 1 - 3.5 mm Mini-Jack (4 Position) Female	
	Software	OS Compatibility	Windows® 7, 8, 8.1, 10 Mac OS® 10.10 to 10.13
	Special Notes / Requirements	Note	USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps. A DVI to VGA adapter is included.
		System and Cable Requirements	A host laptop with an available USB-A port.
	Indicators	LED Indicators	1 - Power
	Power	Center Tip Polarity	Positive

	Input Current	1 A
	Input Voltage	100 ~ 240 AC
	Output Current	2 A
	Output Voltage	20V DC
	Plug Type	N
	Power Consumption (In Watts)	40W
	Power Source	AC Adapter Included
Environmental	Humidity	10-90% non-condensing
	Operating Temperature	0°C to 40°C (32°F to 104°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
Physical Characteristics	Cable Length	39.4 in [1000 mm]
	Color	Black & Silver
	Enclosure Type	Plastic
	Product Height	1.2 in [31.2 mm]
	Product Length	8.5 in [216.1 mm]
	Product Weight	10.3 oz [291 g]
	Product Width	3.4 in [86.2 mm]
Packaging Information	Shipping (Package) Weight	28.8 oz [815 g]
What's in the Box	Included in Package	<ul style="list-style-type: none"> 1 - docking station 1 - USB 3.0 cable 1 - DVI to VGA adapter 1 - universal power adapter (NA/JP, UK, EU, ANZ) 1 - quick-start guide

Product appearance and specifications are subject to change without notice.