



# USB 2.0 to 100Mbps Ethernet Network Adapter UE200

## Highlights

---

- Innovative folding design makes UE200 an ideal portable gadget
- Equipped with USB 2.0 port and 100Mbps Ethernet port, UE200 enables your device a fast and stable data connection to Ethernet network.
- Plug and Play in Windows (XP/Vista/7/8/8.1/10), Mac OS X (10.6/10.7/10.8/10.9/10.10) and Linux OS.

Note: Driver required for Mac OS X 10.11



Portable Devices



Plug and Play



Stable data transfer

# Features

---



## Portable Devices

**Compact Design** - Compact design with a retractable cable makes it an ideal on the go



## Plug and Play

**User Friendly** - Plug and play, enjoy the most stable and rapid internet



## Stable data transfer

**Stable Connection** - enables a fast and stable data connection to Ethernet network

# Specifications

---

## Basic

---

<b>Dimensions:</b>	2.8 x 1.0 x 0.6 in. (71.0 x 26.0 x 16.2mm)
<b>Chipset:</b>	RTL8152B
<b>Interface:</b>	1 10/100Mbps RJ45 Ethernet Port 1 USB-A 2.0 Port
<b>Package Contents:</b>	- USB 2.0 to Gigabit Ethernet Network Adapter - Quick Installation Guide
<b>System Requirements:</b>	- Windows (XP/Vista/7/8/8.1/10), Max OS X (10.6/10.7/10.8/10.9/10.10/10.11) ,Linux OS

## Others

---

<b>Certification:</b>	- CE, FCC, RoHS
<b>Environment:</b>	- Operating Temperature: 0°C~40°C (32°F~104°F) - Storage Temperature: -40°C~70°C (-40°F~158°F) - Operating Humidity: 10%~90% non-condensing - Storage Humidity: 5%~90% non-condensing

# Similar Products



UE200



UE300

Interface

1 10/100Mbps RJ45 Ethernet Port  
1 USB-A 2.0 Port

Chipset

RTL8152B

Dimension

2.8 x 1.0 x 0.6 in. (71 x 26 x 16.2mm)

System Requirements

Windows XP/Vista/7/8/8.1,  
Mac OS X 10.5/10.6/10.7/10.8/10.9/10.10/  
Linux based system

1 10/100/1000Mbps RJ45 Ethernet Port  
1 USB-A 3.0 Port

RTL8153

2.8 x 1.0 x 0.6 in. (71 x 26 x 16.2mm)

Windows XP/Vista/7/8/8.1,  
Mac OS X 10.5/10.6/10.7/10.8/10.9/10.10/  
Linux based system



For more information, please visit  
<http://WWW.TP-LINK.COM/en/products/details/UE200.html>  
or scan the QR code on the left

[www.tp-link.com](http://www.tp-link.com)

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies Co., Ltd.